

Material Safety Data Sheet

1. The Product and the Manufacturer

1.1 Trade Name of the Product: Cellulose Acetate Sheet

1.2 Information of Manufacturer:

Company Name: Frame Accessories Plastic Co.,Ltd

Registered Address: No:158, 2road LuoShan, LuoFeng Industrial, TangXia Town, RuiAn City,

ZheJiang Province, China

Postal Code 325204

Telephone Number: 86-577-58816500

Fax Number: 86-0577-58816509

Email Address: szsa03@frameaccessories.com

2. <u>Harzards Identification</u>

According to our best knowledge, the product itself is not dangerous if it is handled according to correct industrial procedure.

3. <u>Information of the Major Ingredients</u>

Cellulose Acetate

Diethyl Phthalate

4. <u>First Aid Measures</u>

4.1 Inhalation

In case a person has breathed in any fumes released from the substance, bring that person to an air-circulated area where fresh air is available and contact medical professional on time.

4.2 Eye Contact

In the case of eye contact, wash the affected eyes carefully with clean water and seek medical assistance.

/【 [®] 温州由板有眼塑胶科技有限公司 Frame Accessories Plastic Co.,Ltd

4.3 Skin Contact

In the case of skin contact which causes irritation or discomfort, wash the affected area with

water and seek medical advice if necessary.

4.4 Oral Contact or Accidental Ingestion

ingestion, look for medical assistance immediately. Do not feed an unconscious person and do

not induce vomiting.

5. Measures for Fire Extinguishment

Wear full protective gear and a self-contained breathing apparatus. To extinguish fire, use

Carbon Dioxide, water spray, chemical foam or dry chemical powder. Evaluate and choose the

most suitable media to terminate the fire.

6. <u>Handling Accidental Leak</u>

Sweep up, collect and dispose properly according to local rules. Wear appropriate personal

protective equipment if necessary.

7. Safe Handling and Storage

Keep away from contact with oxidizing materials and avoid temperatures exceeding 290°C.

8. Exposure Control and Individual Protection

Maintain effective ventilation system and protect skin, eyes, ears and respiratory system at

different work processes. Placement of fire extinguishers and fire fighting equipment based on

actual needs and requirements.

9. <u>Physical and Chemical Properties</u>

Appearance: Solid State

Color:

Various Colors

Specific Gravity: 1.26 - 1.28

Melting Point:Over 290°C

Water Solubility: Insulable

10. Stability and Reactivity

The product is relatively stable but may decompose after long storage under high temperature and humidity. It may bring about hazardous decomposition products like Carbon Dioxide, Carbon Monoxide, and Acetic Acid. It's recommended to avoid sun light and store the material at room temperature of 23°C and relative humidity 50%. Avoid contact with oxidizing material.

11. <u>Toxicological Information</u>

The risk of toxicology is not found on the product itself when properly stored or processed.

12. Ecological Information

No ecological risk is found on the product.

13. <u>Disposal Approach</u>

Sweep up, collect and dispose the material according to local law and regulations.

14. <u>Transport Information</u>

Not regulated as a hazardous material.

15. Regulatory Information

Not available.

16. Other Information

Above information is provided based on our best knowledge about the product. Jin Yu makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. It's suggested that users take the initiative to make investigations and determine the suitability of the information for their industry and particular purposes.